



NozzTeq®



The ICE BEAR™ nozzles have a simple but effective flow design with the nozzle threaded to the top for less turbulence in the head of the nozzle. This results with better thrusting power and debris moving capabilities.

ICE BEAR™

We have developed our own line of trouble solving, every day nozzles, built on our collected know how through out the years. They are called the Ice Bear™ nozzles. The sewer nozzles have a simple but effective flow design with the nozzle threaded to the top for less turbulence in the head of the nozzle. This results with better thrusting power and debris moving capabilities and allows the jet stream to go longer and farther than the conventional nozzle.

We also have different type of flush nozzles allowing us to offer the best solution to your problem.

Characteristics:

- Short design with bevel edge.
- Low jet angle for maximum thrusting power.
- Jet size adapted to pump capacity and hose size.
- Different versions for best result.

NozzTeq Inc. ADDRESS: 1497 Main Street #354 Dunedin, FL 34698

PHONE: 1-866-620-5915 FAX: 1-603-413-6744

EMAIL: info@nozzteq.com HOMEPAGE: www.nozzteq.com

Art. no	Product description	Connecting thread	No of jets		Picture	Angle rear jets	Weight	Length	Ø
			Rear	Front					
ICB 125	Ice Bear™	¼" NPT	4	3		10°	1oz	7/8"	¾"
ICB 15	Ice Bear™	⅜" NPT	4	3		10°	2oz	1"	1"
ICB 10	Ice Bear™	½" NPT	4	3		10°	4oz	1 ⅜"	1 ¼"
ICB 17	Ice Bear™	½" NPT	4	3		10°	4oz	1 ⅜"	1 ¼"
ICB 20	Ice Bear™	½" NPT	4	3		10°	4oz	1 ⅜"	1 ¼"
ICB 22	Ice Bear™	¾" NPT	6	3		10°	7oz	1 ¾"	1 ½"
ICB 25	Ice Bear™	1" NPT	6	3		10°	14oz	2 ¼"	1 7/8"
ICB 30	Ice Bear™	1 ¼" NPT	6	3		10°	1 ¾ lbs	2 ½"	2 ⅜"
ICB 40	Ice Bear™	1 ½" NPT	6	3		10°	2 ¼ lbs	3"	2 ¾"
GLB-1/2	Ice Bear™ Global Multi™	½" NPT	4	0, 1 or 3		10°	6 oz	1 ¼"	1 ¼"
GLB-3/4	Ice Bear™ Global Multi™	¾" NPT	6	0, 1 or 3		10°	14 oz	1 ¾"	1 ¼"
GLB-1	Ice Bear™ Global Multi™	1" NPT	6	0, 1 or 3		10°	1.5 lbs	2 ⅜"	2 ¾"

All Icebear Global Multi's are drilled to your specifications with Stainless steel inserts.

